

# गोला बारुद फैक्टरी खडकी, पुणे - 411003

Ammunition Factory Khadki, Pune - 411003 भारतीय आयध निर्माणियां, रक्षा मंत्रालय

Indian Ordnance Factories, Ministry of Defence आयध निर्माणी बोर्ड की एक इकाई



फोन: 020 -25810554

A unit of Ordnance Factory Board फैक्स Fax : 020 - 25813205

संख्या. स्थापना/260/आरटीआई सेल/16103/2016

दिनांक:25-नवम्बर-2016

सेवा में.

Shri Venkatesh Nayak 55A, 3rd Floor, Siddharth Chambers-1, Kalu Sarai. New Delhi - 110 016.

स्चना अधिकार अधिनियम २००५ के अंतर्गत जानकारी देना ।

संदर्भ

- 1. Your RTI Application dtd.21.07.2016 (Reg. No.16103) transferred from OFB, Kolkata dtd.18.08.2016 received on 24.08.2016.
- 2. CPIO's letter No.Estt/260/RTI CELL/16103/2016 dtd.08.09.2016.
- 3. First Appeal dtd.14.10.2016 received on 24.10.2016 submitted by Shri Venkatesh Nayak.
- 4. FAA's order No. Estt/260/RTI/VN/16103/2016 dtd.23.11.2016.

continuation to the above-referred First Appellate Authority's No.Estt/260/RTI/VN/16103/2016 dtd.23.11.2016, the information as directed by the FAA is furnished below:

- No.1 Cartridge SA 12 Bore "ANTIRIOT" is used for riot control operation. Physical characteristics & Special features of this Amminition are available on OFB website at ofb.gov.in. However, the print-outs of the same are forwarded herewith free of cost.
- No.2 The disclosure of the Issue price of Cartridge 12 Bore Anti-riot does not serve any larger public interest.
- No.3 The disclosure of the details of the Sale 12 Bore Anti-riot Ammunition too does not serve any larger public interest.

This has been rejected by the CPIO which has been upheld by the First Appellate Authority.

Encl.: As above (02 pages)

महाप्रबधक/प्रशासन एव केन्द्रीय जन सचना अधिकारी


Copy to:

**Director & CPIO Ordnance Factory Board** 10-A, S.K.Bose Road, Kolkata - 700 001.

For information w.r.t your letter No.16170436/PIO/PER/RTI dtd.18.08.2016.

Encls: copy of First Appeal & FAA's order dt.23.11.2016

## CARTRIDGE SA 12 BORE ANTIRIOT



The ammunition can be fired from Pump Action / 70 mm / 65 mm Chamber 12 Bore Gun . It is used for riot control through use of a rubber projectile.

## PHYSICAL CHARACTERISTICS:

Total length of finished ammunition after filling	64 mm
Total length of empty case	70 mm
Total mass of the ammunition	24 g
Composition of the primer	A1 Mixture 도크뤼쇸 쉐 함
Charge mass of the composition	थिन प्रिया गर्म क्या क्या क्या क्या क्या क्या क्या क्या
Type of propellant	smokeless RTI
Charge mass of the propellant	1.2 to 1.4 g
Mass of the projectile	10.4 ± 0.02 g
Length of Projectile	35 ± 0.02 mm 2005
Velocity at 9m from the muzzle	35 ± 0.02 mm 265 ± 15 m/s 31 ± 11003
Energy imparts at 50 m	60 ♦ 80 Joule
Pressure	2.5 TSI at 1 inch
Accuracy	100% shots should hit on the target 1.5 m $\times$ 1.5 m at a distance 27.4 m from the muzzle

#### SHELF LIFE:

The Shelf life of the cartridges is maximum five years.

## PACKING:

Cartridges are packed in multi-coloured and attractive laminated cartons. 25 cartridges are packed in one carton. A lot of 20 cartons holding 500 cartridges or a lot of 10 cartons holding 250 cartridges are first put in polythene bags and then heat sealed to avoid ingress of moisture. These polythene bags with 50 or 25 cartons are then packed in wooden boxes or pre-printed corrugated fibre board boxes respectively and duly strapped with steel or plastic tapes. The packing is quite secure and lasting.

#### STOWAGE DIMENSION:

	Wooden Boxes with 500 cartgs.	Corrugated fibre board with 250 cartgs.
Packing Dimensions	380 mm x 276 mm x 276 mm	336 mm × 236 mm × 120 mm
Gross Weight	30 Kgs (approx.)	12.5 Kgs (approx.)

## HAZARD CLASSIFICATION:

į.



Explosive Classification

1.4, 25

Fire Fighting Classification

Clause 1

#### Contact:

Marketing & Export Division
Ordnance Factory Board
Ayudh Bhawan
Government of India
Ministry of Defence
10A, S. K. Bose Road, Kolkata – 700 001, India.

Tel: 0091-33-2248 9027 / 2248 2103 / 2248 5077-80

Fax: 0091-33-2248 1748/2210 8235

Mail: ofbtrade@dataone.in http://www.ofb.gov.in

